

Mechanical Suspended Scales



5 kg Oblong Stainless Steel Pan

(Can be supplied with 235 6S & 235 10S only)

	Dual Marked
235 6S	5 kg x 20 g/11 lb x 1 oz
235 10S	5 kg x 10 g/11 lb x 1/2 oz

5 kg & 10 kg Double Lipped Stainless Steel Scoop

Can be supplied with 235 10X

	Metric	Dual Marked
235 10X	5 kg x 10 g 10 kg x 20 g	5 kg x 10 g/11 lb x 1/2 oz 10 kg x 20 g/22 lb x 1 oz



10 kg & 25 kg Round Stainless Steel Pan 305 mm Diameter

Can be supplied for retrofitting to the following suspended scales:

	Metric	Dual Marked
235 6S	10 kg x 50 g	10 kg x 50 g/22 lb x 2 oz
235 6M	25 kg x 100 g	25 kg x 100 g/55 lb x 4 oz
235 10S	10 kg x 20 g	
235 10X (Non-trade)	10 kg x 20 g 25 kg x 50 g	10 kg x 20 g/22 lb x 1 oz



a division of Avery Weigh-Tronix



© Avery Weigh-Tronix 2006. All rights reserved. This publication is issued to provide outline information only which, unless agreed by Avery Weigh-Tronix in writing, may not be regarded as a representation relating to the products or services concerned. Avery Weigh-Tronix reserves the right to alter without notice the specification, design, price or conditions of supply of any product or service.

Suspended Scales/2.06

Wessex Scale Co

SALTER
Brecknell

Suspended Scales

Mechanical



- Robust
- Accurate
- Reliable
- Portable
- Low cost
- Easy to read
- Corrosion resistant
- Capacities from 5 kg - 300 kg

VALUE IN
WEIGHING




Suspended Scales

Mechanical

Model 235 6S

Compact, robust and corrosion resistant, 150 mm diameter dial housed in a tough ABS plastic case with shatterproof polycarbonate dial cover. Low friction acetal bearings provide positive movement to give maximum sensitivity. Accurate to one part in 250 with up to 15% zero adjustment. Supplied with top and bottom hook.


Option - Oblong pan (5 kg only).




- | | |
|----------------|--------------------------------|
| Metric | Dual Marked |
| 5 kg x 20 g | 5 kg x 20 g / 11 lb x 1 oz |
| 10 kg x 50 g | 10 kg x 50 g / 22 lb x 2 oz |
| 25 kg x 100 g | 25 kg x 100 g / 55 lb x 4 oz |
| 50 kg x 200 g | 50 kg x 200 g / 110 lb x 8 oz |
| 100 kg x 500 g | 100 kg x 500 g / 220 lb x 1 lb |

Model 235 6M

Compact and robust, 150 mm diameter dial housed in the traditional metal case. Accurate to one part in 250 with up to 15% zero adjustment. Supplied with top and bottom hooks



- | | |
|----------------|--------------------------------|
| Metric | Dual Marked |
| 5 kg x 20 g | 5 kg x 20 g / 11 lb x 1 oz |
| 10 kg x 50 g | 10 kg x 50 g / 22 lb x 2 oz |
| 25 kg x 100 g | 25 kg x 100 g / 55 lb x 4 oz |
| 50 kg x 200 g | 50 kg x 200 g / 110 lb x 8 oz |
| 100 kg x 500 g | 100 kg x 500 g / 220 lb x 1 lb |




Model 235 10S

Robust and corrosion resistant, large easy to read 254 mm diameter dial housed in a tough ABS plastic case with a shatterproof polycarbonate dial cover. Low friction bearings provide positive movement to give maximum sensitivity. Accurate to one part in 500 with up to 15% zero adjust. Supplied with top and bottom hooks.

Option - Oblong pan (5 kg only).

- | |
|----------------|
| Metric |
| 5 kg x 10 g |
| 10 kg x 20 g |
| 25 kg x 50 g |
| 50 kg x 100 g |
| 100 kg x 200 g |



Model 235 10X (Trade & Non-Trade)

Heavy duty suspended scale, Eu trade approved up to 100 kg. 254 mm diameter easy to read dial housed in a robust grey die cast casing with low friction bearings providing positive movement to give maximum sensitivity. Accurate up to one part in 1000 trade, One part in 500, non-trade. Supplied with top and bottom hooks as standard. Double dial versions available, metric only, or up to 50 kg, dual marked.

Option -
Swivel bottom hook.
Double lipped scoop
(5 kg/10 kg only)

- | | |
|----------------|--------------------------------|
| Metric | Dual Marked |
| 5 kg x 10 g | 5 kg x 10 g / 11 lb x 1/2 oz |
| 10 kg x 20 g | 10 kg x 20 g / 22 lb x 1 oz |
| 25 kg x 50 g | 25 kg x 50 g / 56 lb x 2 oz |
| 50 kg x 100 g | 50 kg x 100 g / 110 lb x 4 oz |
| 100 kg x 200 g | 100 kg x 200 g / 220 lb x 8 oz |
| 200 kg x 500 g | 200 kg x 500 g / 440 lb x 1 lb |
| 300 kg x 1 kg | 300 kg x 1 kg / 660 lb x 2lb |